



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 300  
DENVER, CO 80202-2466  
Phone 800-227-8917  
<http://www.epa.gov/region08>

**September 4, 2003**

Ref: 8ENF-T

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Donald Saling, District Manager  
Pueblo West Metro District  
P.O. Box 7005  
Pueblo, Colorado 81007

Re: Order for Compliance,  
Docket No. CWA-08-2003-45

Dear Mr. Saling:

On April 28, 2003, the U.S. Environmental Protection Agency (EPA) issued an Order for Compliance (Docket Number CWA-08-2003-45) to Pueblo West Metro District, (hereinafter, "Pueblo West"). This Order required Pueblo West to comply with the provisions of 40 C.F.R. § 122.21 and 33.U.S.C. § 402(a) and submit a Notice of Intent ("NOI") to be covered under the EPA general biosolids permit.

Pueblo West has complied with all provisions of the Order. Therefore, for administrative purposes, the file on the Order (Docket Number CWA-08-2003-45) is considered closed as of the date of this letter.

If you have any questions, the most knowledgeable person on my staff regarding this letter is Darcy O'Connor, Technical Enforcement Program, who can be reached at (303) 312-6392.

Sincerely,

**A. M. Gaydosh for/**

Carol Rushin  
Assistant Regional Administrator  
Office of Enforcement, Compliance  
and Environmental Justice

cc: Dave Akers, CDPHE  
Wes Carr, CDPHE

**THIS DOCUMENT WAS FILED IN THE REGIONAL HEARING CLERK'S OFFICE  
ON SEPTEMBER 9, 2003.**



*Printed on Recycled Paper*



bcc: Darcy O'Connor, 8ENF-T  
Elyana Sutin, 8ENF-L  
Tina Artemis, 8RC  
Sandy Johnson, 8ENF-PT  
Brenda Cazier, 8ENF-PT

Addresses:

Dave Akers  
Water Quality Control Division  
Colorado Department of Public Health & Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80246-1530

Wes Carr  
Water Quality Control Division  
Colorado Department of Public Health & Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80246-1530